



भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS

उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय के अंतर्गत, भारत सरकार
Under Ministry of Consumer Affairs, Food & Public Distribution, G.O.I.

नोएडा शाखा कार्यालय / NOIDA BRANCH OFFICE
राष्ट्रीय मानकीकरण प्रशिक्षण संस्थान (परिसर)
ए-20/21, संस्थागत क्षेत्र, सेक्टर-62, नोएडा-201309 (उ.प्र.)
National Institute of Training for Standardization (Campus)
A-20/21, Institutional Area, Sector-62, Noida-201 309 (U.P.)



सत्यमेव जयते



दूरभाष / Tel. : 0120-2979870, 2979892
ई-मेल / E-mail : nobo-bis@bis.gov.in
वेबसाइट / Website : www.bis.gov.in
GSTIN : 09AAATB0431G5Z5
PAN : AAATB0431G

Our Ref : NOBO/CM/L- 8800151113

Dated 30.8.2024

Subject: Grant of BIS Certification Marks Licence No 8800151113 as per IS 3614:2021.

M/s ASES SECURITY PRIVATE LIMITED
PLOT No 52, TOY CITY ECOTECH III,
GREATER NOIDA, GAUTAM BUDDHA NAGAR,
UTTAR PRADESH-201308

Dear Madams/Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product:- Specification of Fire Doors and Assembly First Revision of IS 3614 Parts 1 2

Grade/Class/Type/Variety
Type of Fire Door-Fire Rated Hinged Metallic Door, Fire Rating-FD 120 PI, Insulation Type-Partially Insulated, Latch Condition-Latched, Door Way Opening Size-Width up to and including 2400 mm, Length up to and including 2400 mm, Material Thickness- 1.2 mm minimum, Infill Material-Mineral Wool, Door Leaf Configuration-Double leaf, Vision Pane With /Without, Area Of Vision Pane- maximum up to 0.06 m..

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this licence is **CM/L- 8800151113** which has been made operative from **2024-08-02** and is valid up to **2025-08-01**. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) & (3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS (Conformity assessment) Regulation 2018 is payable by you with effect from **2024-08-02** for the period of validity of the licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. **Our Receipt No. AA87PC2024000186** dated **2024-05-02** for the licence fee and the minimum marking fee for the first operative period is already issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.
5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
6. The Scheme of Testing and Inspection as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.
7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.
8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.
9. This licence is granted for your factory situated at **PLOT No 52, TOY CITY ECOTECH III, GREATER NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH-201308** Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

Thanking you,

Yours faithfully,



(SHYAM SUNDER)
SCIENTIST-G & HEAD

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक चिह्न के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

अनुज्ञप्ति सं. सीएम/एल- 8800151113
Licence No. CM/L – 8800151113

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

एसेस सिक्योरिटी प्राइवेट लिमिटेड
प्लॉट नं 52, टॉय सिटी ईकोटेक III,
ग्रेटर नोएडा, गौतम बुद्धा नगर,
उत्तरप्रदेश -201308

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिह्न का, इस अनुसूची के तीसरे स्तंभ में दी गई किस्सों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय - समय पर संशोधित अथवा पुनरीक्षित / संदर्भित संबद्ध भारतीय मानक (मानकों) के अनुसार / अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

ASES SECURITY PRIVATE LIMITED
PLOT No 52, TOY CITY ECOTECH III,
GREATER NOIDA, GAUTAM BUDDHA NAGAR,
UTTAR PRADESH-201308

(hereinafter called the Licensee) this Licence to use the Standard Mark set out in the first column of the First Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध की शर्तें जो संलग्न अनुलग्नक में दी गई हैं, के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति पहली अनुसूची में यथा - उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-I में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This Licence carries obligations on part of the licensee as conditions of licence, which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in this schedule and may be renewed as prescribed in the scheme I.

**अनुसूची
SCHEDULE**

(अनुज्ञप्ति सं. सी एम/एल - 8800151113)

(Licence No. CM/L - 8800151113)

नाम

Name

कारखाने का पता

Factory Address

: मैसर्स एसेस सिक्योरिटी प्राइवेट लिमिटेड

M/s ASES SECURITY PRIVATE LIMITED

: प्लॉट नं 52, टॉय सिटी ईकोटेक III, ग्रेटर नोएडा, गौतम बुद्धा नगर,

उत्तरप्रदेश -201308

: PLOT No 52, TOY CITY ECOTECH III, GREATER NOIDA, GAUTAM BUDDHA NAGAR, UTTAR PRADESH-201308

विधिमान्यता Validity

दो अगस्त दो हजार चौबीस से एक अगस्त दो हजार पच्चीस तक

Second August Two Thousand Twenty Four to First August Two Thousand Twenty Five

मानक चिह्न Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय -क्षेत्र Scope of Licence	चिह्नांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 3614  CM/L-8800151113	IS 3614 : 2021 Specification of Fire Doors and Assembly First Revision of IS 3614 Parts 1 2	Type of Fire Door-Fire Rated Hinged Metallic Door, Fire Rating-FD 120 PI, Insulation Type-Partially Insulated, Latch Condition-Latched, Door Way Opening Size-Width up to and including 2400 mm, Length up to and including 2400 mm, Material Thickness- 1.2 mm minimum, Infill Material-Mineral Wool, Door Leaf Configuration-Double leaf, Vision Pane With /Without, Area Of Vision Pane- maximum up to 0.06 m...	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस रु 210000/- सभी इकाइयों के लिए रु 17.50 प्रति इकाई इकाई: 1 Door एक प्रचालन वर्ष के लिए न्यूनतम मुहरांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी Rs 17.50 per unit for the rest of the units with a minimum marking fee of Rs 210000/- during an operative period of one year Unit - 1 Door Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज वर्ष दो हजार चौबीस के

Signed, Sealed and Dated this 30th

माह के

day of

August

दिन हस्ताक्षरित मुद्रांकित किया गया।

Month of Year Two Thousand Twenty four

कृते भारतीय मानक ब्यूरो

For BUREAU OF INDIAN STANDARDS


 (SHYAM-SUNDER)
 SCIENTIST-G & HEAD